INDEX TO VOLUME 57

Author and Subject Index

AUTHOR

ALLEN, T.C., *see* Davis, J.R.

ARTECA, R.N., B.W. POOVAIAH, and L.K. HILLER. Electron microprobe and neutron activation analysis for the determination of elemental distribution in hollow heart potato tubers, 241.

BAJUSZ, B.A., *see* Smilowitz, Z.

BAKER, W.G. and G.R. JOHNSTON. The longevity of seeds of the common potato, *Solanum tuberosum*, 601.

BALDWIN, P. *see* Kezis, A.S.

BANTTARI, E.F. Sap extraction device for sampling potato leaves and tubers, 345.

BARDEN, E.S., *see* Bushway, R.J.

BELYEA, P.R., *see* Bushway, A.A.

BENOIT, G.R. and W.J. GRANT. Plant water deficit effects on Aroostook County potato yields over 30 years, 585.

BIRD, G.W., *see* Vitosh, M.L.

BISHOP, J.C., *see* Timm, H.

BOGUCKI, S. and D.C. NELSON. Length of dormancy and sprouting characteristics of ten potato cultivars, 151.

BREWER, J.W., M.D. HARRISON, and J.A. WINSTON. Differential attraction of *Drosophila melanogaster* Meig. to potato tissue infected with two varieties of *Erwinia carotovora*, 219.

BRODIE, B.B., *see* Evans, K.

BROOKS, E. A hard look at the changing transportation marketing picture, 473. (Symposium paper).

BROWN, C.R., *see* Galvez, R.

BUSHWAY, A.A., *see* Bushway, R.J.

BUSHWAY, A.A., A.W. BUSHWAY, P.R. BELYEA, and R.J. BUSHWAY. The proximate composition and glycoalkaloid content of three potato meals, 167.

BUSHWAY, A.W., *see* Bushway, A.A., Bushway, R.J.

BUSHWAY, R.J., *see* Bushway, A.A.

BUSHWAY, R.J., E.S. BARDEN, A.W. BUSHWAY, and A.A. BUSHWAY. The mass extraction of potato glycoalkaloids from blossoms, 175.

BUSHWAY, R.J., A.M. WILSON, and A.A. BUSHWAY. Determination of total glycoalkaloids in potato tubers using a modified titration method, 561.

CAMADRO, E.L. and S.J. PELOQUIN. Origin of polyploid wild potatoes via genetically determined 2n gametes, 473, (abst).

CHANDRA, S., *see* Klein, L.B., Mondy, N.I.

CHASE, R.W., *see* Vitosh, M.L.

CHO, J.L. and W.M. IRITANI. The relationships of stem and stolon numbers, tuber set, and growth as influenced by planting dates, 473, (abst).

CHU, C-C., H. PLATE, and D.L. MATTHEWS. A preliminary study of fertilizer injury to potatoes, 474, (abst).

CIAMPI, L. and L. SEQUEIRA. Influence of temperature on virulence of race 3 strains of *Pseudomonas solanacearum*, 307.

INDEX TO VOLUME 57

Author and Subject Index

AUTHOR

ALLEN, T.C., *see* Davis, J.R.

ARTECA, R.N., B.W. POOVAIAH, and L.K. HILLER. Electron microprobe and neutron activation analysis for the determination of elemental distribution in hollow heart potato tubers, 241.

BAJUSZ, B.A., *see* Smilowitz, Z.

BAKER, W.G. and G.R. JOHNSTON. The longevity of seeds of the common potato, *Solanum tuberosum*, 601.

BALDWIN, P. *see* Kezis, A.S.

BANTTARI, E.F. Sap extraction device for sampling potato leaves and tubers, 345.

BARDEN, E.S., *see* Bushway, R.J.

BELYEA, P.R., *see* Bushway, A.A.

BENOIT, G.R. and W.J. GRANT. Plant water deficit effects on Aroostook County potato yields over 30 years, 585.

BIRD, G.W., *see* Vitosh, M.L.

BISHOP, J.C., *see* Timm, H.

BOGUCKI, S. and D.C. NELSON. Length of dormancy and sprouting characteristics of ten potato cultivars, 151.

BREWER, J.W., M.D. HARRISON, and J.A. WINSTON. Differential attraction of *Drosophila melanogaster* Meig. to potato tissue infected with two varieties of *Erwinia carotovora*, 219.

BRODIE, B.B., *see* Evans, K.

BROOKS, E. A hard look at the changing transportation marketing picture, 473. (Symposium paper).

BROWN, C.R., *see* Galvez, R.

BUSHWAY, A.A., *see* Bushway, R.J.

BUSHWAY, A.A., A.W. BUSHWAY, P.R. BELYEA, and R.J. BUSHWAY. The proximate composition and glycoalkaloid content of three potato meals, 167.

BUSHWAY, A.W., *see* Bushway, A.A., Bushway, R.J.

BUSHWAY, R.J., *see* Bushway, A.A.

BUSHWAY, R.J., E.S. BARDEN, A.W. BUSHWAY, and A.A. BUSHWAY. The mass extraction of potato glycoalkaloids from blossoms, 175.

BUSHWAY, R.J., A.M. WILSON, and A.A. BUSHWAY. Determination of total glycoalkaloids in potato tubers using a modified titration method, 561.

CAMADRO, E.L. and S.J. PELOQUIN. Origin of polyploid wild potatoes via genetically determined 2n gametes, 473, (abst).

CHANDRA, S., *see* Klein, L.B., Mondy, N.I.

CHASE, R.W., *see* Vitosh, M.L.

CHO, J.L. and W.M. IRITANI. The relationships of stem and stolon numbers, tuber set, and growth as influenced by planting dates, 473, (abst).

CHU, C-C., H. PLATE, and D.L. MATTHEWS. A preliminary study of fertilizer injury to potatoes, 474, (abst).

CIAMPI, L. and L. SEQUEIRA. Influence of temperature on virulence of race 3 strains of *Pseudomonas solanacearum*, 307.

CIAMPI, L. and L. SEQUEIRA. Multiplication of *Pseudomonas solanacearum* in resistant potato plants and the establishment of latent infections, 319.

CIAMPI, L., L. SEQUEIRA, and E.R. FRENCH. Latent infection of potato tubers by *Pseudomonas solanacearum*, 377.

CLARK, D.J., *see* Young, D.A.

COPEMAN, R.J., *see* DeBoer, S.H.

CUBILLOS, A.G., *see* Hoopes, R.W.

CUKIERSKI, M.A., *see* Mondy, N.I.

CURWEN, D. and M.D. GROSSKOPP. Effects of chemical treatments and irrigation programs on the incidence of scab (*Streptomyces scabies*) on Russet Burbank potatoes, 474, (abst).

DAVIS, J.R., T.C. ALLEN, and W.B. JONES. Relationships of defined PVX infection levels to yield and to *Verticillium dahliae* colonization of potato, 475, (abst).

DAWE, J.C., *see* Souter, E.W.

DeBOER, S.H. and R.J. COPEMAN. Bacterial ring rot testing with the indirect fluorescent antibody staining procedure, 457.

DeJONG, H., G.C.C. TAI, G.R. JOHNSTON, W.A. RUSSELL, and K.G. PROUDFOOT. Yield potential and genotype-environment interaction of tetraploid-diploid (4x-2x) potato hybrids, 475, (abst).

DESBOROUGH, S, *see* Veilleux, R.E.

DWELLE, R.B., G.E. KLEINKOPF, and J.J. PAVEK. Stomatal conductance and gross photosynthesis of potato (*Solanum tuberosum* L.) as influenced by light intensity, temperature, and growth stage, 476, (abst).

EIDE, C.J., *see* Slattery, R.J.

ESTRADA, R.N. Frost resistant potato hybrids via *Solanum acaule* Bitt. diploid-tetraploid crosses, 609.

EVANS, K. and B.B. BRODIE. The origin and distribution of the golden nematode and its potential in the U.S.A., 79.

EWING, E.E., *see* Rasco, Jr., E.T., Sherman, M.

FRENCH, E.R., *see* Ciampi, L.

GALVEZ, R. and C.R. BROWN. Inheritance of extreme resistance to PVY derived from *Solanum tuberosum* ssp. *Andigena*, 476, (abst).

GOLDMAN, D.M. and F.I. LAUER. Haulm and yield differences in verticillium wilt resistance and susceptible potato clones, 477, (abst).

GOTH, R.W., *see* Jaworski, C.A.

GOTH, R.W., and R.E. WEBB. Roquette, *Eruca vesicaria* subsp. *savita* a good host for long-term maintenance of aphid vectors of potato viruses, 285.

GRANT, W.J., *see* Benoit, G.R.

GRANT, W.J. and D.B. TORREY. Effect of soil water regimes on some potato tuber characteristics, 477. (abst).

GRAVES, B., *see* Webb, R.E.

GREGORY, P., *see* Ryan, J.

GREGORY, P., S.L. SINDEN, W.M. TINGEY, and S.F. OSMAN. Glycoalkaloids of some wild potato species differing in insect resistance, 478, (abst).

GROSSKOPP, M.D., *see* Curwen, D, Weis, G.G.

HAHM, Y.I., S.A. SLACK, and R.J. SLATTERY. Recontamination of seed stocks with the latent potato viruses S and X, 478, (abst).

HAMMOND, D.F. Identification by light microscopy of several viruses inciting mosaic disease in potatoes, 479, (abst).

HANNEMAN, Jr., R.E. Usefulness of haploids in prediction of performance of tetraploid progeny from inter-cultivar crosses, 479, (abst).

HANNEMAN, Jr., R.E., *see* Johnston, S.A., Landeo, J.A., Ross, R.W., Sanford, J.C.

HANNIGAN, K.J., *see* Ryan, J.
HARRISON, M.D., *see* Brewer, J.W., Molina, J.J., Workman, M.
HAWKES, J.G., *see* Li, P.H.
HAYNES, F.L., *see* Thompson, P.G.
HENNINGER, M.R., *see* Webb, R.E.
HENSEL, D.R., R.D. RHUE, D.P. WEINGARTNER, W.K. ROBERTSON, AND T.L. YUAN. Physiological 'Mouse Ear' of potatoes in Hastings, Florida, 480, (abst).
HILLER, L.K., *see* Arteca, R.N., Van Denburgh, R.W.
HOLBROOK, F.R. An index of acceptability to green peach aphids for *Solanum* germplasm and for a suspected non-host plant, 1.
HOLM, D.G. Use of antitranspirants to maximize potato yields under water stress conditions, 481, (abst).
HOOPES, R.W., R.L. PLAISTED, and A.G. CUBILLOS. Yield and fertility of reciprocal-cross Tuberosum-Andigena hybrids, 275.
HUNG, Y-T. Feasibility of activated sludge treatment of potato processing wastewaters, 481, (abst).
HYDE, G.M. and R.E. THORNTON. Potato harvester chain load and velocity effects on soil elimination and tuber damage, 482, (abst).
IRITANI, W.M. Relationships of stem numbers, tuber set, and yield, 482, (abst).
IRITANI, W.M., *see* Cho, J.L.
IWANAGA, M. and S.J. PELOQUIN. FDR and SDR 2n egg formation in diploid potatoes, 482, (abst).
IWANAGA, M. and S.J. PELOQUIN. High gene frequency of parallel spindles (ps) in cultivated tetraploid potatoes, 483, (abst).
JAMES, E., *see* Thornton, R.E.
JAWORSKI, C.A., R.E. WEBB, R.W. GOTH, AND S.C. PHATAK. Relative resistance of potato cultivars to bacterial wilt, 159.
JOHANSEN, R.H., B. FARNSWORTH, G.A. SECOR, D.C. NELSON, P.H. ORR, and E.P. LANA. Dakchip: A white-skinned chipping cultivar, 567.
JOHNSTON, E.F. and A.S. KEZIS. Shifts and trends in the Maine potato industry in the past quarter century, 484, (abst).
JOHNSTON, E.F., *see* Kezis, A.S., Plissey, E.S.
JOHNSTON, G.R., *see* Baker, W.G., DeJong, H.
JOHNSTON, G.R. and R.G. ROWBERRY. Rideau: A new red-skinned maincrop table variety with high resistance to verticillium wilt strains, 47.
JOHNSTON, S.A. and R.E. HANNEMAN, Jr. Support of the endosperm balance number hypothesis utilizing some tuber-bearing *Solanum* species, 7.
JOHNSTON, S.A. and R.E. HANNEMAN, Jr. The discovery of effective ploidy barriers between diploid solanums, 484, (abst).
JONES, W.B., *see* Davis, J.R.
KHAN, M.A., and S.A. SLACK. Detection of potato viruses S and X in dormant potato tubers by the latex agglutination test, 213.
KEZIS, A.S., *see* Johnston, E.F., Plissey, E.S.
KEZIS, A.S., E.F. JOHNSTON, and P. BALDWIN. A determination of trend in Maine's fresh potato shipments, 417.
KLEIN, L.B., S. CHANDRA, and N.I. MONDY. The effect of phosphorus fertilization on the chemical quality of Katahdin potatoes, 259.
KLEINKOPF, G.E., *see* Dwelle, R.B.
KOLLER, D.C., *see* Van Denburgh, R.W.
LANDEO, J.A. AND R.E. HANNEMAN, Jr. Genetic variation in *Solanum tuberosum* Gp. *Andigena* haploids, 485, (abst).
LAUER, F.I., *see* Goldman, D.M., McHale, N.A., Veilleux, R.E.

LEUE, E.F. and S.J. PELOQUIN. Selection for 2n gametes and tuberization in *Solanum chacoense*, 189.
LEUE, E.F. and S.J. PELOQUIN. Development of adapted solanum germplasm using the topiary gene, 485, (abst).
LI, P.H., *see* Quick, W.A.
LI, P.H., J.P. PALTA, and J.G. HAWKES. Frost hardiness and elevation of genotype origin, 184.
LIPE, W.N. Effect of antitranspirants as water-use regulators on Norgold Russet potatoes, 486, (abst).
LIPE, W.N. and D.G. THOMAS. Effect of antitranspirants on yield of Norgold Russet potatoes under greenhouse and field conditions, 267.
LULAI, E.C. Development and adaptation of objective methods to evaluate potato flake quality as influenced by complexing agents of damaged starch, 486, (abst).
LULAI, E.C. and P.H. ORR. Quality-testing facilities for grower use at the Potato Research Laboratory, 622.
MACK, T.M., *see* Smilowitz, Z.
MACK, T.P. and Z. SMILOWITZ. Soluble protein electrophoretic patterns from two biotypes of *Myzus persicae* (Sulzer), the green peach aphid, 365.
MACK, T.P. and Z. SMILOWITZ. The vertical distribution of green peach aphids and its effect on a model quantifying the relationship between green peach aphids and a predator, 487, (abst).
MANZER, F.M., *see* Reeves, A.F.
MARTIN, M.W. Developing potato cultivars adapted to ethanol production by using mass crossing and selection techniques, 487, (abst).
MARTIN, M.W. and D.E. MILLER. Differential reaction of potato cultivars to deficit irrigation, 488, (abst).
MATTHEWS, D.L., *see* Chu, C.-C.
McDONALD, J.G. and R.P. SINGH. Comparison of ELISA with LAT for the post-harvest indexing of seed tubers for potato viruses X and S, 488, (abst).
MAZZA, G. Water vapor equilibrium relationships of potato slices, 91.
MERRIAM, D.C., *see* Reeves, A.F.
MILLER, D.E., *see* Martin, M.W.
MOLINA, J.J. and M.D. HARRISON. The role of *Erwinia carotovora* in the epidemiology of potato blackleg. II. The effect of soil temperature on disease severity, 351.
MOLL, R.H., *see* Thompson, P.G.
MONDY, N.I., *see* Klein, L.B.
MONDY, N.I., S. CHANDRA, and M.A. CUKIERSKI. Ultrastructure of potato tubers infected with potato virus X, 131.
MURPHY, H.J., *see* Reeves, A.F.
NELSON, D.C., *see* Bogucki, S.
NELSON, G.A. Long-term survival of *Corynebacterium sepedonicum* on contaminated surfaces and in infected potato stems, 595.
NG, K.C. and M.L. WEAVER. Determination of disodium acid pyrophosphate in French-fried potatoes, 53.
NOLAN, E.S., *see* Smilowitz, Z.
NOLING, J.W., *see* Vitosh, M.L.
NONAKA, M. The textural quality of cooked potatoes. I. The relationship of cooking time to the separation and rupture of potato cells, 141.
OCHOA, C. *Solanum peloquinianum:* A new wild potato species from the Peruvian Andes, 33.
OCHOA, C.M. A new tuber-bearing *Solanum* potentially useful for breeding for aphid resistance, 387.
ORR, P.H., *see* Lulai, E.C.

VEILLEUX, R.E., S. DESBOROUGH, and F.I. LAUER. Utilization of unreduced gametes in breeding for yield and total tuber protein in potatoes, 497, (abst).
VITOSH, M.L., J.W. NOLING, G.W. BIRD, and R.W. CHASE. The joint action of nitrogen and nematicides on *Pratylenchus penetrans* and potato yield, 101.
VITOSH, M.L., J.W. NOLING, G.W. BIRD, and R.W. CHASE. The joint action of phosphorus and nematicides on *Pratylenchus penetrans* and potato yield, 498, (abst).
von ELBE, J.H., *see* Ridley, S.C.
WATTS, J., *see* Webb, R.E.
WEAVER, M.L., *see* Ng, K.C.
WEBB, R.E., *see* Goth, R.W., Jaworski, C.A., Reeves, A.F., Sinden, S.L.
WEBB, R.E., D.R. WILSON, J.R. SHUMAKER, B. GRAVES, M.R. HENNINGER, and J WATTS. Belchip: A new potato variety combining high quality, pest resistance, and wide adaptation, 61.
WEINGARTNER, D.P., *see* Hensel, D.R.
WEIS, G.G., J.A. SCHOENEMANN, and M.D. GROSSKOPP. Influence of time of application of maleic hydrazide on the yield and quality of Russet Burbank potatoes, 197.
WHALON, M.E., *see* Smilowitz, Z.
WILSON, D.R., *see* Webb, R.E.
WINSTON, J.A., *see* Brewer, J.W.
WORKMAN, M. and M. HARRISON. The influence of harvest date on yield, chipping quality and early blight foliage and tuber infection, 499, (abst).
YOUNG, D.A., D.J. CLARK, and G.C.C. TAI. An information storage and retrieval system for potato breeding data, 21.
YUAN, T.L., *see* Hensel, D.R.
ZAHARA, M., *see* Timm, H.

SUBJECT INDEX

Acetic acid extraction, 537
Activated sludge treatment, 481
After-cooking darkening, 53
Agtron number, 17
Antisera, 458
Antitranspirants, 267, 486
Aphid hosts, 288
Ascorbic acid, 262, 409
A-6 test, 477
Benedict's test, 15
B.E.T. monolayer, 91
Blue value, 146
Bruise resistance, 494, 495
Canned potatoes, 407
Cellular rupturing, 141
Chemicals
  Antitranspirants
    Folicote, 267, 481
    Vapor Gard, 267, 481
    Wilt-Pruf, 481
  Cyanide, 492
  Fumigant
    Telone C-17, 474
  Fungicides
    Bravo, 161
    Manzate D, 161
    1,3-D + MIC, 101
    PCNB, 474
    Terr-o-cide, 474
    Vorlex, 474, 498
  Herbicide
    Eptam, 161
  Insecticides
    Aldicarb, 101, 487, 498
    Carbaryl, 161
    Carbofuran, 101
    Disulfoton, 101
    Lannate, 161
    Thiofanox, 101
  Magnesium, 480
  Nematocides
    Enide, 161
    Ethoprop, 161
  Sprout inhibitors
    CIPC, 16
    Maleic hydrazide, 197
Chip color, 18, 556
Climatic records, 587
Clinitest, 15
Colchicine, 11
Cooking quality, 550, 551

Container size, 484
Desorption isotherm, 91
Dietary fiber, 115
Dinitrophenol test, 15
Dinitrosalicylic test, 15
Diploids, 11, 39, 475, 482, 484, 609
Diseases
  Blackleg, 301, 351
  Brown rot, 159, 319, 377
  Early blight, 429, 499
  Late Blight
    Race O, 61, 559
  Leafroll, 559
  Ring rot, 595
Disease organisms
  Bacteria
    Bacillus, 462
    Clostridium, 462
    Corynebacterium flaccumfaciens, 464
      insidiosum, 461, 464, 599
      michiganense, 461, 464
      sepedonicum, 457, 461, 464, 559, 595
    Erwinia, 219
      caratovora, 219, 301, 351, 461, 464
        var. atroseptica, 219, 301, 351, 461, 496
    Pseudomonas, 458, 461
      solanacearum, 159, 307, 319, 377
    Xanthomonas malvacearum, 599
  Fungi
    Nematophthora gynophila, 88
    Phytophthora infestans, 81, 491
    Rhizoctonia, 47, 559
    Streptomyces scabies, 49, 429, 474, 559
    Verticillium, 477, 559
      albo-atrum, 47, 109, 293
      dahliae, 47, 83, 293, 475
      nigrescens, 293
  Virus
    A, 61, 429, 479
    S, 213, 286, 478, 488
    X, 61, 131, 213, 475, 478, 479, 488, 559
    Y, 476, 479, 559
    Spindle tuber viroid, 205
Dormancy, 151, 480
ELISA test, 477, 488
Endosperm balance number, 7
Equilibrium heat of sorption, 91
Erratum, 580
Ethanol production, 487
Evapotranspiration, 585
Fertilizer injury, 474
Fertilizer placement, 496

Fertilizers
Ammoniat[illegible], 474
Ammonium nitrate-DAP, 474
Nitrogen, 101, 496, 497, 543
Potassium, 496
Urea-DAP, 474, 543
Urea-TSP, 474
Phosphorus, 259, 480, 496, 498, 543
Foliar damage *vs* TGA, 342
French fries, 53
Frost resistance, 609
Gel electrophoresis, 205
Genetic variance components, 39
Genotype-environment (GE) interaction, 476
Gibberellin, 491
Glandular hairs, 387, 491
Glycoalkaloid content, 167, 540, 559
Glycoalkaloids, 175, 331, 336, 337, 339, 432, 478, 537, 561
α-solanine, 167, 177, 537, 564
α-chaconine, 167, 177, 537
Chaconine, 331
Commersonine, 331
Leptines, 331
Solanine, 331
Tomatine, 537
Gram stain, 457
Gross photosynthesis, 476
Growing degree days, 587
Growth cracks, 559
Group andigena 9, 81, 275, 435, 476, 485
Phureja, 13, 39, 190, 450, 489, 498
Stenotomum, 9, 39, 450
Haploids, 189, 479
Harvest date, 499
Hexaploids, 11
High set cultivars, 407
Hydrograph, 589
Index of acceptability, 1, 5
Index of susceptibility, 4
Indirect fluorescent antibody staining, 457
Information storage and retrieval, 21
Insect biotypes, 365
Insect vectors, 205, 219, 286
Insects
Aphis nasturtii, 286
Chaetosiphon fragaefolii, 2
Coleomegilla maculata, 487
Drosophila melanogaster, 219
Empoasca fabae, 205
Leptinotarsa decemlineata, 205, 331
Lygus lineolaris, 205
Macrosiphum euphorbiae, 285

Melanoplus femur-rubrum, 205
Myzus persicae, 1, 205, 285, 365, 487, 493
Prodenia eridania, 205
IPM program, 493
Irrigation, 585
Isosteric heat, 91
Latex agglutination test, 213, 488
Length of dormancy, 43
Longevity of true potato seeds, 601
Male sterility, 275
Market trends, 417, 473, 484
Meiotic mutant, 449
Mini-rhizotron, 544
Molar entrophy, 91
Morphological characteristics of potato peel, 130
Nematodes
Golden nematode, 79
Species
Ditylenchus, 103
destructor, 103
Globodera pallida, 79
rostochiensis 79, 559
Heterodera avenae, 88
Meloidogyne hapla, 103
Pratylenchus penetrans, 101, 498
Trichodorus, 103
Neo-tuberosum, 435, 496
Net necrosis, 61, 429, 559
PAA
Abstracts of papers presented at the 64th annual meeting, 473
Advertising Manager's report, 530
Business Editor's report, 529
Call for nominations of Honorary Life Members, 536
Call for papers for 65th annual PAA meeting, 628
Commercial Potato Production Handbook, 240
Graduate student awards competition, 631
Honorary Life Members of The PAA, 398, 630
International Congress 1982, 183
List of individual members of The PAA, 574
Membership Secretary's report, 531
Minutes of the annual meeting of The PAA Executive Committee, 501
Minutes of the 64th annual business meeting of The PAA, 511
Next Annual Meeting of The PAA-Charlottetown, P.E.I., 579
Obituary
G.V. Houghland, 581
Papers published in "Potato Research" in 1979, 468
Past Officers of The PAA, 392
Pathology Section minutes, 181
Pathology Section minutes, 533
Report of the Editor-in-Chief, 528
64th annual meeting — advance registration, 139
64th annual meeting — program, 225

Treasurer's annual report, 526
Utilization Section minutes, 76
Utilization Section minutes, 532
Parallel spindles, 449, 483
Pedigrees
Allagash Russet, 553
Belchip, 61
Dakchip, 567
Delta Gold, 430
Rideau, 47
Phosphorus in tubers, 249
Photoperiod response, 435
Physiological disorders, 493
Brown center, 371
Hollow heart, 241
Mouse ear, 480
Picric acid test, 15
Planting dates, 473
Plant species
Antirrhinum majus, 288
Chrysanthemum mortifolium, 288
Datura stramonium, 132
Epilobium, 283
Eruca vesicaria sativa, 285
Lactuca sativa, 288
Lycopersicon chilense, 286
esculentum, 82
Nicotiana glutinosa, 132
Pelargonium, 1, 5
Raphanus sativus, 286
Plant water deficit, 585
Potato cultivars
New
Allagash Russet, 38, 553, 556–558
Belchip, 61, 162
Dakchip, 151, 567
Rideau, 47
Old
Abnaki, 5, 162, 163
Alamo, 163
Anoka, 297
Antigo, 554, 568
Aroostook Wonder, 430
Atlantic, 63, 64, 162, 163, 476
Bake King, 163
Belleisle, 5, 162, 163
BellRus, 162
Bintje, 163
Bison, 151
Bounty, 163
Busola, 430
Butte, 463, 488, 495

Cariboo, 5
Cascade, 162, 163, 568
Centennial, 162, 163
Cherokee, 62, 162, 163, 554
Chieftain, 51, 163
Chippewa, 162, 163, 480
Cobbler, 5, 162, 163, 293, 297, 372, 430
Dazoc, 297
Delta Gold, 429, 554
Earlaine, 62, 430, 554
Early Gem, 297
Fundy, 163
Green Mountain, 5, 162, 163
Haig, 163, 493
Houma, 554
Hudson, 162, 163
Imperia, 554
Katahdin, 3, 38, 48, 103, 131, 162, 163, 178, 205, 216, 259, 333, 366, 477, 480, 484, 539, 554, 556–558, 562, 564, 568
Kennebec, 5, 38, 50, 63, 151, 162, 163, 198, 216, 293, 297, 302, 429, 477, 492, 538, 539, 545, 549–551, 556–558, 562, 564, 567, 569, 571
LaChipper, 162, 479
LaRouge, 162
LaSoda, 163
Lemhi, 488
Lenape, 5, 62, 554
Mariva, 381
Merrimack, 9, 162, 163, 480
Mohawk, 5
Molinera, 381
Monominee, 62, 554
Monona, 5, 162, 163, 477, 492
Nampa, 163, 495
Nooksack, 488
Nordak, 48
Norland, 5, 91, 151, 216, 250, 293, 297, 407, 539, 570
Norchip, 5, 16, 91, 105, 151, 162, 215, 250, 297, 477, 479, 492, 545, 549–551, 567–571
Norgold Russet, 16, 151, 162, 250, 267, 297, 463, 479, 486
Norgleam, 468
Ona, 162
Onaway, 101
Oneida, 216
Ontario, 159, 162, 163, 216, 479
Peconic, 5, 163
Pennchip, 163
Penobscot, 162, 163
Plymouth, 5
Pontiac, 48, 554
Pungo, 3, 64, 162, 163
Redkote, 554
Red LaSoda, 162, 163, 215

Red McClure, 163, 353
Red Pontiac, 151, 162, 163, 250, 293, 297
Redskin, 48
Richter's Jubel, 554
Rural New Yorker, 430
Russet Burbank, 3, 38, 54, 68, 101, 143, 151, 163, 199, 215, 242, 250, 297, 310, 319, 371, 463, 473-476, 481, 482, 484, 488, 495, 498, 556, 562, 564, 570, 597
Russet Sebago, 216
Saco, 5, 162, 163
Sebago, 5, 48, 64, 162, 163, 293, 297, 449
Seminole, 163
Snowchip, 162, 163
Superior, 5, 64, 101, 163, 216, 293, 297, 479, 484, 488, 498, 556–558
Sutton's Flourball, 430
Targhee, 495
Teton, 163, 554
Triumph, 48
Viking, 47, 151, 163
Warba, 597
Wauseon, 5, 162, 163, 556–558
Wischip, 162
Yampa, 163
Numbered seedlings
96-56, 554
116-10, 554
279M3, 468
333-144, 554
927-3, 468
2082, 9
3021-IR, 554
4356-6, 554
24642, 430
40568, 430
41956, 215
41989, 430
42464, 430
42487, 430
43055, 429
43106, 62, 430
44043, 62, 430
45208, 62, 430, 554
47102, 554
47156, 62
A6948-4, 476
A68678-1, 495
AC25953, 554
B24-58, 554
B56-11, 48
B66-1, 554
B83-9, 554
B355-24, 554
B400-1, 48

B607-56, 554
B859-10, 554
B922-3, 554
B2919-1, 554
B3391-2, 554
B3672-3, 52, 554
B3692-4, 554
B3820-14, 568
B4808-19, 554
B6024-3, 554
B6987-29, 62
BC_3, 468
BC_4, 468
BR7093-56, 554
C5960-9, 554
F185-4, 554
G6457-5R, 47
M42, 568
M5009-2, 568
Minn 92.36-5, 48
MPI. 44.1004/5, 568
ND457-1, 48
ND4731-1, 568
ND5737-3, 554
ND8891-3, 151
P177-13R, 47
SA327, 430
TI15, 554
W231, 191, 480
WHS-15, 407
WHS-16, 407
WHS-17, 407
WIS 302.44-6, 554
WRF 1321, 9
X96-56, 554
X96-140, 554
X499A, 48
X528-170, 554
X792-94, 554
X926-36, 554
X1276-185, 554
X44537, 554
Solanums
acaule, 8, 11, 12, 609, 612, 615
acaule
ssp. *albicans*, 9
berthaultii, 478, 491
boliviense, 9
brachycarpum, 5
bulbocastanum, 478
cardiophyllum, 484
chacoense, 9, 11, 12, 62, 189, 331, 450, 485, 554

chiquidenum, 491
curtilobum, 609, 611, 612, 614
commersonii, 332
demissum, 8, 9, 12, 332
fernandezianum, 484
x *flavo-viridens*, 387
gourlayi, 9, 473
immite, 491
infundibuliforme, 9, 189, 473, 485
jamesii, 332
juzepczukii, 609, 611, 612, 614
kurtzianum, 5
megistacrolobum, 9
melongena, 82
oplocense, 9, 473
peloquinianum, 33
phureja, 316, 319, 377, 450, 482, 612, 615
polyadenium, 332
spegazzini, 473
stenotomum, 610-612, 614
stoloniferum, 9, 11, 12
vernei, 601
verrucosum, 9, 484
Potato doneness, 141
Potato flakes, 486
Potato shippers, 489
Pressure bruise, 559
Protein electrophoretic patterns, 365
Protein in tubers, 498
Quality testing, 622
Reciprocal cross, 275, 492
Reducing sugars, 15
Sap extraction, 345
SAPP, 53
Seed germination, 603-5
Seed piece decay, 351
Seed spacing, 413
SEM, 118–129, 133, 134, 243
Serology, 213, 457
Size B potatoes, 407
Soil elimination, 482
Soil moisture, 272, 486, 488
Soil temperature, 357, 371
Soil-water potentials, 477
Specific gravity, 432, 477, 480, 499, 549, 550, 551, 557, 622
Spreading pressure isotherm, 91
Sprouting, 155
Stem numbers, 473, 482
Stomatal conductance, 476
Storage, 67
Sugar content of tubers, 499
Systemic fungicides, 491

Tetraploids, 11, 449, 475, 479, 483, 609
Textural quality of cooked potato, 141
Topiary gene, 189, 485
Tuberization, 441
Tuber necrosis, 61
Tuber size, 444
Tubers per plant, 444, 473, 480, 482
2n gametes, 189, 449, 473, 482, 486
2n pollen, 449, 473, 483, 489
Ultrastructure of potato peel, 115
Ventilation, 67
Viral inclusion staining, 479
Virus testing seed program, 495
Water vapor equilibrium, 91
Yellow fleshed potato, 429
Yields, 106, 267, 432, 443, 480–482, 492, 497, 498, 549, 550, 551, 557, 585